

**Screwdriver**  
**SDS 0.6X3.5X100****Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-2083  
www.weidmueller.com

Slotted screwdriver with rounded blade SD DIN 5265,  
ISO 2380/2, output to DIN 5264, ISO 2380/1.  
ChromTop tip, SoftFinish grip

**General ordering data**

Order No.	<a href="#">9008330000</a>
Type	SDS 0.6X3.5X100
Version	Screwdriver, Blade width (B): 3.5 mm, Blade length: 100 mm, Blade thickness (A): 0.6 mm
GTIN (EAN)	4032248056286
Qty.	1 pc(s).

**Data sheet...**

**Screwdriver  
SDS 0.6X3.5X100**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-2083  
 www.weidmueller.com

**Technical data**

**Dimensions**

Length	208 mm	Weight	40 g
Net weight	35 g		

**Classifications**

ETIM 2.0	EC000158	ETIM 3.0	EC000158
UNSPSC	27-11-17-01	eClass 4.1	21-04-04-01
eClass 5.1	21-04-04-01	eClass 6.0	21-04-04-01
eClass 7.0	21-04-04-90		

**Product information**

Description of article	Screwdriver with slotted bit, 0.6 x 3.5
Product description	<b>Slotted screwdriver with rounded blade SD DIN 5265, ISO 2380/2, output to DIN 5264, ISO 2380/1. ChromTop tip, SoftFinish grip</b>

**Approvals**

Approvals



**Data sheet...**

**Screwdriver  
SDS 0.6X3.5X100**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-2083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

