


Specification Sheet

Part Number: CTAM210M4



Cable Tie Anchor Mount, .20" Hole Dia, .20" Max Tie Width, PA66, White, 1000/pkg

Article Number	151-31205
Type	CTAM2
Color	White (WH)
Features & Benefits	<ul style="list-style-type: none">• 4-way entry allowing the cable tie to secure bundles running parallel or perpendicular.• Secures with a single screw providing quick installation.
Quantity Per	bag
Product Description	HellermannTyton cable tie anchor mounts are designed with a 4-way entry allowing the cable tie to secure bundles running parallel or perpendicular. The mounts are installed quick and easy by securing a single screw.
Short Description	Cable Tie Anchor Mount, .20" Hole Dia, .20" Max Tie Width, PA66, White, 1000/pkg

Global Part Name

CTAM2-PA66-WH

Length L (Imperial)

0.8

Length L (Metric)

20.4

Fixation Method

Screw Mounting and Rivet

Width W (Imperial)

0.4

Width W (Metric)

10.2

Cable Ties

T18 - T50

Height H (Imperial)

.20

Height H (Metric)

5.10

Cable Tie Width Max (Imperial)

0.2

Cable Tie Width Max (Metric)

5.0

Mounting Hole Diameter D (Imperial)

0.2

Mounting Hole Diameter D (Metric)

5.2 mm

Mounting Hole Diameter D Max (Metric)

5.2

Material

Polyamide 6.6 (PA66)

Material Shortcut

PA66

Flammability

UL 94 V2

Operating Temperature (Metric)

-40°F to +185°F (-40°C to +85°C)

ROHS Complaint

Yes

Certification/Specification WEB

UL

UL Recognized (US)

Yes

UL Recognized (US and Canada)

Yes

Package Quantity(Imperial)

1000

Package Quantity (Metric)

1000

Customs Number

3926909987