

Specification Sheet

Part Number: TSRI-JBD2



Article Number

250-20002

Type

TSR-JBD2

Color

Ivory (IV)

Features & Benefits

- Tamper resistant, self-locking hidden positive latch permits quick re-entry as well as providing a secure installation of premise wire.
- Fittings incorporate a minimum 1" bend radius per ANSI/TIA-568-C and 569-A standards.
- Rubber-based, foam-tape adhesive with high ultimate bond strength conforms to any surface.
- Flexible hinge allows the raceway to endure numerous openings without creating discoloration or stress cracking

Quantity Per

bag

Product Description

HellermannTyton's low voltage raceway (TSR) is a one piece, non-metallic, adhesive backed, latching raceway designed to aesthetically organize and route communications wires, including high speed UTP cable and fiber optic cable, from the telecom room to the work area.

| | |
|------------------------------------|---|
| Short Description | Dual Gang Junction Box, 2.77" Deep, PVC, Ivory, 1/bag |
| Global Part Name | TSR-JBD2-PVC-BGE |
| Length L (Imperial) | 4.94 |
| Length L (Metric) | 125.48 |
| Width W (Imperial) | 5.02 |
| Width W (Metric) | 127.51 |
| Height H (Imperial) | 2.77 |
| Height H (Metric) | 70.36 |
| Material | Polyvinylchloride (PVC) |
| Material Shortcut | PVC |
| Halogen free | No |
| Reach Complaint(Article 33) | No |
| ROHS Complaint | Yes |
| UL Listed (US and Canada) | Yes |

Package Quantity(Imperial)

1

Package Quantity (Metric)

1

Customs Number

3925900000