



LOADING PATTERN MATING SIDE

f	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
e	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
d	4	6	4	4	4	6	4	6	4	6	4	6	4	6	4	5	4	6	4	6	4	4
c	4	4	4	4	4	4	4	4	4	4	5	4	4	4	4	4	4	4	4	4	4	4
b	4	4	5	4	4	4	5	4	5	4	5	4	5	4	5	4	5	4	5	4	5	4
a	4	4	4	4	4	5	4	6	4	4	4	4	4	4	4	5	6	4	4	4	4	4
z	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
P	0		0					1					1				2					2
O	1		5																			
S																						


LOADED CONNECTOR ASSEMBLY  
(FOR EXAMPLE)



CONTACT OVERVIEW



LAY-OUT P.C.B.-HOLE



HM2P08PDN181 **LEAD FREE INDICATOR : LF = LEAD FREE (DIGIT 15 & 16)**  
**PLATING CODE (DIGIT 13 AND 14) (REF DRW NO. BS,C , 201844 , 003)**

NOTES

- THIS PRODUCT IS CSA APPROVED.
  - THIS PRODUCT IS UL RECOGNIZED.
  - MEASURED AT THE BOTTOM.
  - MATERIAL CONTACT: PHOSPHORBRONZE  
HOUSING: CREAM WHITE GLASS FILLED POLYESTER UL-94V0
  - CONNECTOR PRINTED WITH P/N AND DATE CODE.
  - FOR ACTUAL CONTACT LOADINGS, SEE LOADING PATTERN MATING SIDE.
  - SHAPE OF CONNECTOR HOUSING CAN ALTER DEPENDING ON PRODUCTION LOCATION
  - THE PRODUCT (LF) MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
  - FOR RECOMMENDED PTH DIMENSIONS REFER DRAWING : BS, A , 201572 , 001
- CATALOG NO: HM2P08PDN181----

mat'l. code SEE NOTE 4			surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family MILLIPACS			
litr			ecn no		dr		date		title			
A			105-0225		MINI		2005-11-11		MPACS 5+2R STR HDR PF CONN TYPE B			
B			106-0131		MINI		2006-07-27		MM			
									scale -			
									FIC			
					dr		MINI K VANDANATH 2005-11-11		sheet 1 of 1 size 5			
					enr		BIJU K PAUL 2005-11-11		BS, C , 203028, 459 A3			
					chr		BIJU K PAUL 2006-07-27					
					appd		BIJU K PAUL 2006-07-27		type Product Customer Drawing			
sheet index			revision sheet		B		1					