

## Specification Sheet

Part Number: 170-03209



Braided Sleeving, Expandable, .125" Dia, PA66 Monofilament, Black, 225 ft/reel

<b>Article Number</b>	170-03209
<b>Type</b>	BSPA66180
<b>Color</b>	Black (BK)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• Nylon monofilament construction weave offers a tight, 12 mil braid that provides full coverage but will not rot or retain moisture.</li><li>• Material performs well in wet applications and where abiding substrate has a smooth surface.</li></ul>
<b>Quantity Per</b>	box
<b>Product Description</b>	A pliable yet durable nylon sleeve that protects against cuts, abrasion and excessive wear caused by repetitive motion.
<b>Short Description</b>	Braided Sleeving, Expandable, .125" Dia, PA66 Monofilament, Black, 225 ft/reel

Global Part Name

BSPA66180-PA66-BK

Length L (Imperial)

225.0

Length L (Metric)

68.58

Bundle Diameter Min (Imperial)

0.1

Bundle Diameter Min (Metric)

2.54

Bundle Diameter Max (Imperial)

0.12

Bundle Diameter Max (Metric)

3.1

Diameter D (imperial)

0.125

Diameter D (metric)

3.18

Nominal Diameter (Imperial)

1/8

Nominal Diameter (Metric)

3.18

Material

Polyamide 6.6 (PA66)

Material Shortcut

PA66

Flammability

Non-Flammable

Halogen free

Yes

<b>Operating Temperature (Metric)</b>	-49°F to +302°F (-45°C to +150°C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>UL Recognized (US)</b>	Yes
<b>UL Recognized (US and Canada)</b>	Yes
<b>Package Quantity(Imperial)</b>	225
<b>Package Quantity (Metric)</b>	68.58
<b>Customs Number</b>	3926909987
<b>Weight (Metric)</b>	0.27
<b>Weight (Imperial)</b>	0.6